



VALLEY MAGNESITE CO. LTD.

Regd. Office : A-402, Mangalam, 24/26, Hemanta Basu Sarani, Kolkata-700 001
Phone No. : 033-2243 6242 / 6243, E-mail : valleymagnesite@yahoo.in

VMCL/ 104/126

CIN: L33109WB1988PLC045491
DATE: 02/01/2025

To,
BSE Ltd,
Corporate Relationship Department,
P.J.Towers,
Dalal Street, Fort,
Mumbai- 400 001.

To,
The Secretary,
The Calcutta Stock Exchange Ltd
7, Lyons Range,
Kolkata- 700 001
Email: listing@cse-india.com

Scrip Code: 539543
Scrip Id: VALLEY

Scrip Code:- 32042

Re: Statement on Investor's Complaints for the Quarter Ended 31.12.2024

Dear Sir/Madam,

As required under Regulation 13 (3) of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, the details of Investor Complaints during the quarter are as follows:-

SCORES Registration ID	v00184
Investor Complaints	No. of. Investor Complaints for the Quarter ended 31.12.2024
Pending at the beginning of the Quarter	NIL
Received during the Quarter	NIL
Disposed off during the Quarter	NIL
Remaining unresolved at the end of the Quarter	NIL

Kindly take the above document on record.


Thanking You,
Yours Faithfully,
For Valley Magnesite Co. Ltd

(Arun Kumar Agarwalla)
Managing Director
DIN:00607272

Encl: as above



 [Dashboard](#)

 [Pending Auto Assigned Complaints](#)

 [Pending First Level Review](#)

 [Pending SEBI Review Complaints](#)

 [CPGRAMS Complaints](#)

 [CPGRAMS Appeals](#)

 [My Profile](#)

 [Reports](#)

02/01/2025 11:39:08

Entity Dashboard

 0

Number of complaints received

 0

Number of complaints auto assigned to entity

 0

Number of complaints pending with complainant awaiting first level review

 0

Number of complaints escalated to Designated Body for first level review

 0

Number of complaints pending with complainant awaiting second level review

 0

Number of complaints escalated to SEBI for second level review

 0

Number of complaints disposed

Complaint Lists

Search by Registration Number/Category/PAN Number/Email Id/Mobile Number



No Complaint Received!